



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/784,552	02/16/2001	Shinji Okazaki	7217/63755	3126
7590 03/17/2004 COOPER & DUNHAM LLP			EXAMINER FERGUSON, KEITH	
new roll, ivi		·	2683 DATE MAILED: 03/17/2004	7

Please find below and/or attached an Office communication concerning this application or proceeding.

	_	Pl				
	Application No.	Applicant(s)				
•	09/784,552	OKAZAKI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Keith T. Ferguson	2683				
The MAILING DATE of this communic Period for Reply	ation appears on the cover sheet wit	h the correspondence address				
A SHORTENED STATUTORY PERIOD FO THE MAILING DATE OF THIS COMMUNIO - Extensions of time may be available under the provisions of after SIX (6) MONTHS from the mailing date of this commu - If the period for reply specified above is less than thirty (30) - If NO period for reply is specified above, the maximum state - Failure to reply within the set or extended period for reply w Any reply received by the Office later than three months afte earned patent term adjustment. See 37 CFR 1.704(b).	CATION. f 37 CFR 1.136(a). In no event, however, may a re nication. days, a reply within the statutory minimum of thirty utory period will apply and will expire SIX (6) MONT ill, by statute, cause the application to become ABA	ply be timely filed (30) days will be considered timely. THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).				
Status	•	• •				
1) Responsive to communication(s) filed						
<u> </u>	· _					
 Since this application is in condition for closed in accordance with the practice 	•	• •				
Disposition of Claims						
4) ☐ Claim(s) 1-22 is/are pending in the ap 4a) Of the above claim(s) is/are 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-4 and 17-22 is/are rejected 7) ☐ Claim(s) 15 and 16 is/are objected to 8) ☐ Claim(s) are subject to restriction	e withdrawn from consideration.					
Application Papers						
9)⊠ The specification is objected to by the						
10) The drawing(s) filed on is/are:						
Applicant may not request that any object Replacement drawing sheet(s) including t		• •				
11) The oath or declaration is objected to	Ψ,					
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for a) All b) Some * c) None of: 1. Certified copies of the priority of the certified copies of the priority of the certified copies of the copies of application from the Internation * See the attached detailed Office action	locuments have been received. locuments have been received in Ap f the priority documents have been in al Bureau (PCT Rule 17.2(a)).	oplication No received in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date.						
 Notice of Draftsperson's Patent Drawing Review (PT 3) Information Disclosure Statement(s) (PTO-1449 or P Paper No(s)/Mail Date <u>7</u>. 		formal Patent Application (PTO-152)				

Art Unit: 2683

DETAILED ACTION

Specification

1. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

Art Unit: 2683

Claim Objections

2. Claim 16 is objected to because of the following informalities: claim 16, line 2, the phrase "said identification data" should recite "said data identifying"; claim 16, line 5, the phrase "said base station" should recite "said predetermined base station". Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1,2,6-9,12-14 and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boling et al. in view of Oyama.

Regarding claim 1, Boling et al. discloses a method of controlling a communication terminal (player/phone) that communicates with a base station (inherent, for a base station to

Art Unit: 2683

be connected to a central paging service which is connected to a private emergency response service, as taught in col. 4 lines 20-47 and col. 5 lines 30-47) by radio waves (col. 4 lines 20-47 and col. 5 lines 30-47), comprising the steps of: enabling said radio communication to be executed when a registration processing (i.e. the player/phone sends its identification and location information to the central paging service) (col. 4 lines 20-47 and col. 7 lines 25-40) concerning a predetermined communication (an emergency 911 call) is executed (col. 4 lines 20-47 and col. 7 lines 25-40); and limiting (i.e. by placing the player/phone in an audio mode which a switch inside the player/phone sends an audio signal to an earphone) (fig. 4 numbers 40 44 and 8, fig. 8 numbers 40, 44 and 8; col. 6 lines 40-52 and col. 9 lines 55-64) a processing for executing a predetermined function (audio mode) other than said radio communication when said registration processing is not executed (selected for emergency call processing) (fig. 4 numbers 40, 44 and 8, fig. 8 numbers 40, 44 and 8; col. 6 lines 40-52 and col. 9 lines 55-64). Boling et al. differs from claim 1 of the present invention in that it does not explicit disclose a predetermined base station. Oyama teaches a predetermined base station (col. 12 lines 1-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Boling

Art Unit: 2683

et al. base station with a predetermined base station in order to speed up the player/phone registration process by registering with a specified base station when seeking emergency assistant in the area where the emergency call is permitted, as taught by Oyama.

Regarding claim 2, Boling et al. discloses said registration processing is comprised of registering predetermined identification data within a terminal (col. 4 lines 20-47 and col. 7 lines 25-40).

Regarding claim 6, Boling et al. discloses said processing for executing said predetermined function is limited when a period during which a communication with said predetermined base station is not normally transmitted (i.e. the player/phone in audio mode or am/fm mode, as taught in col. 6 lines 15-62 and col. 9 lines 55-64).

Regarding claim 7, Boling et al. discloses a communication terminal apparatus (fig.1) comprising: radio communication means for communicating with a base station (inherent, for a base station to be connected to a central paging service which is

Art Unit: 2683

connected to a private emergency response service, as taught in col. 4 lines 20-47 and col. 5 lines 30-47) by radio waves (col. 4 lines 20-47 and col. 5 lines 30-47); first data processing means (fig. 8 numbers 50 and 36) for processing data transmitted by said radio communication means (fig. 8 number 5) and data received by said radio communication means (col. 4 lines 20-44 and col. 5 lines 30-64); second data processing means for executing a predetermined function (audio mode or audio am/fm mode) that is not related to said data processing (col. 6 lines 15-62 and col. 9 lines 55-64); operation means (fig. 8 numbers 76 and 36) for executing operations to execute said predetermined function (col. 6 lines 15-62 and col. 9 lines 55-64) and control means (controller) (figure 5 number 36) for controlling said processing at said radio communication means (col. 4 lines 20-39, col. 5 lines 9-63 and col. 7 lines 14-40 and fig. 5 numbers 5,52,58 and 60) and said first data processing means (col. 4 lines 20-39, col. 5 lines 9-63 and col. 7 lines 14-40) and said second data processing means (col. 6 lines 16-63) and enabling said second data processing means to execute said processing only when it is determined that a setting concerning said communication satisfies a constant condition (i.e. a switch 40b, fig. 4, is set for audio mode) (col. 6 lines 40-53). Boling et al. differs from claim 7 of the present invention in that it

Art Unit: 2683

does not explicit disclose a predetermined base station. Oyama teaches a predetermined base station (col. 12 lines 1-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Boling et al. player/phone with a predetermined base station in order to speed up a registration process when seeking emergency assistant by registering with a base station identity located within its memory in the area where the emergency call is permitted, as taught by Oyama.

Regarding claims 12 and 17, the combination of Boling et al. and Oyama differs from claims 12 and 17 of the present invention in that they do not explicit disclose said constant condition determined by said control means is that a period during which said radio communication means does not transmit or receive data normally falls within a predetermined period.

However, Boling et al. discloses a switch (fig. 8 numbers 40 and 40b) when set to am/fm receiver mode (fig. 8 number 76) is selected and the radio communication means (i.e. the cellular receiver 60 is not selected (fig. 8 numbers 40 and 40a).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Boling et al. and Oyama with said constant

Art Unit: 2683

condition determined by said control means is that a period during which said radio communication means does not transmit or receive data normally falls within a predetermined period in order for the user of the player/phone to listen to music when riding on a bus.

Regarding claim 8, Boling et al. said terminal is registered (i.e. the player/phone receives two-way service)(col. 4 lines 20-47).

Regarding claim 9, Boling et al. discloses said constant condition determined by said control means is that said data received by said radio communication means is not stored (i.e. communication is establish and received through the earphone) (col. 4 lines 20-44).

Regarding claim 13, Boling et al. discloses a communication system (col. 4 lines 20-47) in which a base station (inherent, for a base station to be connected to a central paging service which is connected to a private emergency response service, as taught in col. 4 lines 20-47 and col. 5 lines 30-47) and a communication terminal (player/phone) communicate with each other

Art Unit: 2683

by a method utilizing radio waves (col. 4 lines 20-47 and col. 5 lines 30-47), said method comprising the steps of permitting said communication terminal to communicated when a predetermined registration process is executed (col. 4 lines 20-39 and col. 7 lines 13-40); and limiting (i.e. by placing the player/phone in an audio mode which a switch inside the player/phone sends an audio signal to an earphone) (fig. 4 numbers 40, 44, and 8, fig. 8 numbers 40,44 and 8; col. 6 lines 40-52 and col. 9 lines 55-64) a processing for executing a predetermined function (audio mode) other than said radio communication when said registration processing is not executed (selected for emergency call processing) (fig. 4 numbers 40,44 and 8, fig. 8 numbers 40, 44 and 8, col. 6 lines 40-52 and col. 9 lines 55-64). Boling et al. differs from claim 13 of the present invention in that it does not explicit disclose a predetermined base station. Oyama teaches a predetermined base station (col. 12 lines 1-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Boling et al. system with a predetermined base station in order to speed up the player/phone registration process by registering with a base station identity located within its memory when seeking emergency assistant within the area where the emergency call is permitted, as taught by Oyama.

Art Unit: 2683

Regarding claim 14, Boling et al. discloses a communication management center (central paging service) (col. 4 lines 20-29).

Regarding claims 18 and 19, Boling et al. discloses a communication terminal apparatus (fig.1) comprising: radio communication means for communicating with a base station (inherent, for a base station to be connected to a central paging service which is connected to a private emergency response service, as taught in col. 4 lines 20-47 and col. 5 lines 30-47) by radio waves (col. 4 lines 20-47 and col. 5 lines 30-47); first data processing means (fig. 8 numbers 50 and 36 and col. 4 lines 20-47 and col. 5 lines 30-47) for processing data transmitted by said radio communication means (fig. 8 number 5) and data received by said radio communication means (col. 4 lines 20-44 and col. 5 lines 30-64); second data processing means for executing a predetermined function (audio mode or audio am/fm mode) that is not related to said data processing (col. 6 lines 15-62 and col. 9 lines 55-64); operating means (i.e. the player/phone in placed in audio mode) for setting an operation mode (col. 6 lines 17-21); and control means (controller) (fig. 4 number 36) for stopping (i.e. a switch for switching a cellular telephone mode to an audio mode by moving the switch from

position 40a to 40b, taught in fig. 4 number 40 and col. 6 lines 40-52) a transmission processing of said radio communication means and permitting said second data processing means to execute said predetermined function when said operation mode is set to a predetermined operation mode by said operating means (fig. 4 numbers 40a-40c and col. 6 lines 40-52). Boling et al. differs from claim 7 of the present invention in that it does not explicit disclose a predetermined base station. Oyama teaches a predetermined base station (col. 12 lines 1-41). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Boling et al. player/phone with a predetermined base station in order to speed up a registration process when seeking emergency assistant by registering with a base station identity located within its memory in the area where the emergency call is permitted, as taught by Oyama.

Regarding claim 20, Boling et al. discloses wherein said predetermined function executed by said second data processing means is a music function (fig. 8 numbers 40,40b and 76 and col. 9 lines 55-64).

Art Unit: 2683

Regarding claim 21, Boling et al. discloses a control to stop said transmission processing performed by said control means stops a supply of power to a transmission processing circuit (col. 9 lines 17-25).

Regarding claim 22, Boling et al. discloses a circuit for said stopping of said supply of power is an amplifying circuit (cellular communication circuit) for amplifying a transmission signal (col. 9 lines 17-25).

5. Claims 3-5,10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Boling et al. in view of Oyama as applied to claim 1 above and in further view of Rune.

Regarding claim 3, the combination of Boling et al. and Oyama differs from claim 3 of the present invention in that they do not explicit disclose wherein said registration processing is comprised of receiving and registering controlling data transmitted from said predetermined base station. Rune teaches receiving and registering controlling data transmitted from a (Ton Para ID TOA) (In network (inherent, for the mobile station to receive a registration rejection message from a base station, as taught in col. 4 lines 8-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was

Art Unit: 2683

made to modify the combination of Boling et al. and Oyama with wherein said registration processing is comprised of receiving and registering controlling data transmitted from said predetermined base station in order for the paging service to deny service to the player/phone when the wireless service agreement expires, or deny service to the player/phone when the identification data sent to the paging service is fraudulent, as taught by Rune.

Regarding claim 4, Boling et al. discloses said registration processing is comprised of receiving position registration permitting data sent from said predetermined base station after a position registration requesting signal has been transmitted to said predetermined base station when a power switch of said communication terminal is turned on (inherent, since the player/phone receives incoming communication signals transmitted by the emergency response center, as taught in col. 5 lines 30-42 and col. 7 lines 14-40).

Regarding claim 5, the combination of Boling et al. and

Oyama differs from claim 5 of the present invention in that they

do not disclose said registration processing is comprised of

receiving position registration permitting data sent from said

Art Unit: 2683

predetermined base station after a position registration requesting signal has been transmitted to said predetermined base station when a position of said communication terminal is moved. Rune teaches a registration processing is comprised of receiving position registration permitting data sent from a network (inherent, as for a wireless network to have a base station, as taught in col. 4 lines 20-61) after a position registration requesting signal has been transmitted to base station when a position of said communication terminal is moved (col. 4 lines 20-61). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made To modify the combination of Boling et al. and Oyama with said registration processing is comprised of receiving position registration permitting data sent from said predetermined base station after a position registration requesting signal has been transmitted to said predetermined base station when a position of said communication terminal is moved in order to notify the player/phone that the area which it is located is eligible for wireless service, as taught by Rune.

Regarding claim 10, the combination of Boling et al. and Oyama differs from claim 10 of the present invention in that

Art Unit: 2683

they do not disclose said data is data for rejecting a registration sent in response to a position registration requesting signal transmitted to said predetermined base station when a power switch of said terminal apparatus is turned on. Rune teaches data for rejecting a registration sent in response to a position registration requesting signal transmitted to a network when a power switch of said terminal apparatus is turned on (col. 4 lines 8-20). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the combination of Boling et al. and Oyama with said data is data for rejecting a registration sent in response to a position registration requesting signal transmitted to said predetermined base station when a power switch of said terminal apparatus is turned on in order to inform the player/phone that its wireless contract agreement is expired, or deny service to the player/phone when the identification data sent to the paging service is fraudulent, as taught by Rune.

Regarding claim 11, the combination of Boling et al. and

Oyama differs from claim 11 of the present invention in that

they do not disclose data for rejecting a registration sent in

response to a position registration requesting signal transmitted

Art Unit: 2683

Page 16

to said predetermined base station when said position of a terminal apparatus is moved. 'Rune teaches data for rejecting a registration sent in response to a position registration requesting signal transmitted to a network when said position of a terminal apparatus is moved. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the combination of Boling et al. and Oyama with data for rejecting a registration sent in response to a position registration requesting signal transmitted to said predetermined base station when said position of a terminal apparatus is moved in order to notify the player/phone that it can not receive wireless service where it is located, as taught by Rune.

Allowable Subject Matter

- 6. Claims 15 and 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 7. The following is a statement of reasons for the indication of allowable subject matter: Regarding claim 15, the prior art of record fails to teach or suggest, alone or in combination wherein data for limiting said predetermined function at said

Art Unit: 2683

Page 17

communication terminal is transmitted when identification data transmitted from said communication terminal is identification data that is not registered on said communication management center.

Regarding claim 16, the prior art of record fails to teach or suggest, alone or in combination said identification data contained in a position registration request transmitted from said communication terminal is not registered on said communication Management center, said base station transmits data for rejecting a position registration of said communication terminal to said communication terminal and said communication terminal limits said predetermined function when it receives said data for rejecting said position registration.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Keith T. Ferguson whose telephone number is (703) 305-4888. The examiner can normally be reached on 6:30am-5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on (703) 308-5318. The fax phone number for the

Art Unit: 2683

organization where this application or proceeding is assigned is 703-872-9306.

Page 18

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Keith Ferguson

Art Unit 2683

March 15, 2004